

# Environmental Product Declaration



In accordance with ISO 14025 for

## **ENTRON *blue* B – PA6 Granules**

from

**ENNEATECH AG**



**ENNEATECH**  
ENGINEERING POLYMERS

EPD registration number: S-P-05205  
Publication date: 2022-01-13  
Valid until: 2026-12-13



# 1 Programme Information

<b>Programme and operator</b>	<p>The International EPD® System</p> <p>EPD International AB Box 210 60 SE-100 31 Stockholm Sweden</p> <p><a href="http://www.environdec.com">www.environdec.com</a> <a href="mailto:info@environdec.com">info@environdec.com</a></p>
<b>Product category rules (PCR)</b>	Plastics in primary forms – UN CPC 347
<b>PCR review was conducted by</b>	Technical Committee of the International EPD® System
<b>Independent third-party verification of the declaration and data, according to ISO 14025:2006</b>	<input type="checkbox"/> EPD process certification <input checked="" type="checkbox"/> EPD verification
<b>Third party verifier</b>	<p>Andreas Ciroth GreenDelta GmbH Kaiserdamm 13, 14057 Berlin Germany</p>
<b>Approved by</b>	The International EPD® System
<b>Life cycle assessor</b>	<p>Alexander Boeth bregau olt GmbH Mary-Astell-Straße 10 28359 Bremen</p>  <p>In Kooperation mit: brands &amp; values GmbH Altenwall 14 28195 Bremen</p> 

## Disclaimer

The EPD owner has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programmes may not be comparable.

Liability claims regarding damage caused by the use of any information provided, including any kind of information which is incomplete or incorrect, will be rejected, unless it can be proven that the damage occurred intentionally or through gross negligence.

## 2 Company Information

---

**Owner of the EPD**

ENNEATECH AG  
Schmiedestraße 34  
26629 Großefehn  
Germany



[www.enneatech.com](http://www.enneatech.com)  
[info@enneatech.com](mailto:info@enneatech.com)

---

**Description of the organisation**

ENNEATECH AG is a plastics recycling company in northern Germany. As a manufacturer of sustainable, technical plastics, ENNEATECH is one of the leading polymer specialists on the European market and sells its products internationally. Its range of products includes polyamide (PA) granules made in-house, customized compounds and innovative polyamide fiber products.

---

**Name and location of production site**

Holtmeedeweg 2  
26629 Großefehn  
Germany

---



## 3 Product Information

### Material Information

<b>Trade Name</b>	ENTRON <sup>blue</sup> B
<b>Article Number</b>	e.g. 16171, 16182
<b>UN CPC code</b>	347 – Plastics in primary forms.
<b>Product description</b>	The product ENTRON <sup>blue</sup> B is a PA 6 granule consisting of 100% secondary materials. It serves as a base material for the downstream industries.
<b>Geographical scope</b>	Global
<b>Polymer</b>	Polyamide 6
<b>Colour</b>	multi-coloured, black
<b>Granules</b>	unfilled, reprocessed
<b>PA 6 CAS No.</b>	25038-54-4
<b>Monomer</b>	ε-Caprolactam
<b>Classification GHS</b>	not dangerous
<b>Compliance RoHS</b>	fulfilled

### Product Properties


		Article Number	
		16171	16182
<b>Relative Viscosity</b>	1% - 25 °C (Sulfuric Acid)	2,6 - 2,9	2,5 - 3,0
<b>Viscosity Number</b>	0.5% - 25 °C (Sulfuric Acid)	142 - 165	135 - 175
<b>Ash Content</b>	650 °C (Muffle Furnace)	< 1,0 %	< 0,75 %
<b>Moisture Content</b>	140 °C (Loss in Weight)	< 0,5 %	< 0,3 %
<b>Extraction Content</b>		< 1,5 %	
<b>Density</b>	23 °C	1,13 - 1,14 g/cm <sup>3</sup>	
<b>Melting Temperature</b>	30-300 °C DSC	220 - 230 °C	

*All data are approximate values and correspond to our knowledge. The data were measured based on random samples and do not release the manufacturer from own examinations corresponding to his applications.*

## 4 LCA Information

<b>Declared unit</b>	1000 kg of PA 6 granules
<b>Reference service life</b>	A reference service life is not applicable for this product category
<b>Time representativeness</b>	The information underlying this EPD is taken from the reference year 2019, taking into account inputs and outputs for the whole calendar year.
<b>Database(s) and LCA software used</b>	All the background data relevant for modelling were taken from the GaBi professional database – service pack 43, (update 2021). The software GaBi was used in version 10.5.
<b>Description of system boundaries</b>	<p>cradle-to-gate (Modules A1-A3)</p> <p>Upstream processes include the extraction of resources as well as all relevant transport processes. All energetic input flows (electricity, fuels) and water consumption to the upstream processes are considered. All emissions to air, water and soil and treatment of waste and wastewater generated are considered.</p> <p>Core processes include all processing steps as well as all transports within the factory gate.</p> <p>In the downstream, the treatment of the associated waste is taken into account until the end of the waste status. In addition, the treatment of the wastewater generated is included.</p>
<b>Excluded lifecycle stages</b>	The life cycle stages after the factory gate were excluded, as ENTRON <sup>blue</sup> B is a base material whose life cycle and disposal depend to a large extent on further processing. It is not possible to make appropriate assumptions in this respect.
<b>More information</b>	<a href="https://enneatech.com">https://enneatech.com</a>

### System diagram



## 5 Content Declaration

### 5.1 Product

As it is a base material, the product is made of 100% polyamide 6. The recycled content is 100 % (post-industrial recycled content).

### 5.2 Packaging

Because the product is transported primarily in silo trucks, packaging materials are not required and are therefore not considered in this EPD.

## 6 Environmental Performance

The following information on environmental effects is based on the requirements of EN 15804:2012+A2:2019 for an impact assessment using characterization factors specified in that standard.

### 6.1 Potential environmental impact

Parameter	Unit	A1-A3
Global Warming Potential total (GWP)	kg CO <sub>2</sub> -eq.	1,99E+02
Global Warming Potential fossil (GWP-fossil)	kg CO <sub>2</sub> -eq.	1,78E+02
Global Warming Potential biogenic (GWP-biogenic)	kg CO <sub>2</sub> -eq.	1,74E+01
Global Warming Potential luluc (GWP-luluc)	kg CO <sub>2</sub> -eq.	3,75E+00
Stratospheric ozone depletion potential (ODP)	kg CFC-11-eq.	4,99E-11
Acidification potential of soil and water (AP)	mol H <sup>+</sup> -eq.	1,36E+00
Eutrophication potential freshwater (EP-freshwater)	kg PO <sub>4</sub> -eq.	5,69E-03
Eutrophication potential marine (EP-marine)	kg N-eq.	4,40E-01
Eutrophication potential terrestrial (EP-terrestrial)	mol N-eq.	4,68E+00
Formation potential of tropospheric ozone (POCP)	kg C <sub>2</sub> H <sub>4</sub> -eq.	1,01E+00
Potential for abiotic depletion of non-fossil resources (ADPE)	kg Sb-eq.	5,68E-04
Potential for abiotic depletion of fossil fuels (ADPF)	MJ	1,35E+03
Water scarcity (WDP)	m <sup>3</sup> world eq. deprived	3,77E+01



## 6.2 Use of resources

Parameter	Unit	A1-A3
Renewable primary energy as an energy carrier (PERE)	MJ	1,19E+04
Renewable primary energy for material use (PERM)	MJ	0,00E+00
Total renewable primary energy (PERT)	MJ	1,19E+04
Non-renewable primary energy as an energy carrier (PENRE)	MJ	1,36E+03
Non-renewable primary energy for material use (PENRM)	MJ	2,90E+04
Total non-renewable primary energy (PENRT)	MJ	3,04E+04
Use of secondary materials (SM)	kg	1,01E+03
Renewable secondary fuels (RSF)	MJ	0,00E+00
Non-renewable secondary fuels (NRSF)	MJ	0,00E+00
Use of freshwater resources (FW)	m <sup>3</sup>	4,55E+00

## 6.3 Waste production and output flows

Parameter	Unit	A1-A3
<b>Waste categories</b>		
Hazardous waste to landfill (HWD)	kg	7,97E-01
Non-hazardous waste disposed (NHWD)	kg	3,10E+01
Disposed radioactive waste (RWD)	kg	1,83E-02
<b>Output categories</b>		
Components for Reuse (CRU)	kg	1,33E+00
Materials for recycling (MFR)	kg	0,00E+00
Materials for energy recovery (MER)	kg	2,39E+01
Exported electric energy (EEE)	MJ	1,19E+01
Exported thermal energy (EET)	MJ	2,77E+01

## 6.4 Additional Impact Categories and Indicators

Parameter	Unit	A1-A3
Potential incidence of disease due to PM emissions (PM)	Incidence of disease	1,72E-05
Potential Human exposure efficiency relative to U235 (IR)	kBq U235-eq.	2,43E+00
Eco-toxicity, freshwater (ETP-fw)	CTUe	3,00E+03
Human toxicity, cancer effects (HTP-c)	CTUh	2,33E-07
Human toxicity, non-cancer effects (HTP-nc)	CTUh	3,51E-06
Potential soil quality index (SQP)	dimensionless	8,12E+03

## 7 Additional Information

The secondary PA 6 is produced based on a load-free raw material and a relatively low-CO<sub>2</sub> electricity mix is used. Therefore, the significance of other influences on the carbon footprint increases. This is particularly the case for distributive transports, whose GWP share depends to a large extent on the distance to the respective customer.

Using the following formula, the GWP from distribution transports can be approximated by the quantity ordered and the delivery distance.

$$GWP_T = GWP_M + GWP_T$$

$$GWP_T = \frac{D * M * 100\%}{U} * \frac{0,0472}{1000}$$

GWP<sub>T</sub>: Total global warming potential (kg CO<sub>2</sub> eq.)

GWP<sub>M</sub>: Global warming potential from manufacturing phase (kg CO<sub>2</sub> eq.)

GWP<sub>T</sub>: Global warming potential from transport processes (kg CO<sub>2</sub> eq.)

D: Transport distance in km

M: Transported mass in kg

U: Truck utilization in %



## 8 References

<b>The International EPD System</b>	General Programme Instructions of the International EPD® System. Version 3.01
<b>The International EPD System</b>	Product category rules (PCR) CPC347 - Plastics in primary forms PCR2010:16, version 3.01
<b>DIN EN ISO 14025</b>	Environmental labels and declarations – Type III environmental declarations – Principles and procedures; 2011-10
<b>DIN EN ISO 14040</b>	Environmental management - Life cycle assessment – Principles and framework (ISO 14040:2006); 2009-11
<b>DIN EN ISO 14044</b>	Environmental management – Life cycle assessment – Requirements and guidance (ISO 14044:2006 + Amd 1:2017); 2018-05
<b>DIN EN 15804</b>	Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products; German version EN 15804:2012+A2:2019
<b>GaBi</b>	Software und Datenbank zur ganzheitlichen Bilanzierung, LBP (Chair of Building Physics) University of Stuttgart and thinkstep AG, Leinfelden Echterdingen, 1992 - 2021
<b>UN CPC</b>	United Nations Department of Economic and Social Affairs Statistics Division: Central Product Classification (CPC), version 2.1